

Multi Vehicle ATF

Product description

Multi Vehicle ATF is a high quality synthetic fluid specially designed with advanced multi-vehicle additive technology to serve a broad range of. Exceeds the complex requirements of Automatic Transmission/Vehicle Manufacturers of Europe, North America and Asia including the JASO 1-A performance standard created by Japanese Automobile Manufacturers Association. Formulated with high quality synthetic base stocks in combination with a special additive technology to achieve maximum performance.

Remark: Not suitable for use in Continuously Variable Transmissions (CVT), Dual Clutch Transmission (DCT), Daimler MB 7 speed (NAG 2), ZF 6 Speed

Properties

- ✓ Excellent thermo- and oxidation stability.
- ✓ Improved anti-shudder properties, torque capacity.
- ✓ Low temperature properties coupled with balanced frictional stability provides better shift feel and drivability.
- ✓ Excellent anti-corrosion, foam inhibition and seal protection.
- ✓ Extremely high Viscosity Index and shear stability ensures adequate lubrication over entire service life in both high operating & low starting temperatures

Technical specification	Method	Typical
Color:		Amber/yellow
Density @ 15°C:	ASTM D 4052	850 kg/m³
Kin. Viscosity at 40°C:	ASTM D 7042	37 mm ² /s
Viscosity at 100°C:	ASTM D 7042	7,6 mm²/s
Viscosity Index:	ASTM D 2270	180
Flash Point COC:	ASTM D 92	>201°C
Pour Point:	ASTM D 97	-48°C



AFINOL

Performance Criteria

Exceeds the following performance criteria:

- Allison C4, TES 295
- Chrysler +3, +4
- Chrysler AS68RC ATF
- LT 71141, LA 23634
- ETL -7045E, 8072B
- Cat TO-2
- Ford Mercon
- Ford Mercon V
- Dexron IID, IIIG/H
- Honda Z1
- Mitsubishi SP-II/III
- Hyundai / KIA SP-II/III
- Idemitsu K17/ATF HP
- JWS 3309/3314/3317
- JASO M315-2004
- Texaco N402
- MAN 3391 V1/V2/Z2
- Mazda ATF M-III, M5
- MB 236.3, 5, 6, 7, 8, 9, 10, 11, 91
- Nissan Matic D, J, K, W
- PSA Z 001 69756
- Ssan Yonh DSIH 5M-66
- Subaru ATF, HP
- Toyota T-III, T-IV
- Voith H55.6335.xx
- Volvo Std 1273.4, CE 1273.41, 1161540, 1161640
- VW G 052 025, G 055 025, G 052 162, G 052 990
- ZF TE ML 03D, 04D, 11A/B, 14A, 14B, 17C

